



Be Right™



9586 sc Oxygen Scavenger Analyser

The 9586 sc Oxygen scavenger analyser has a fast response time of less than 60 seconds.

Unlike traditional amperometric techniques that use two electrodes, the 9586 sc uses a three-electrode design; eliminating voltage drift due to the composition of the water. The working electrode self-cleans by turning PTFE beads. Calibrations are done via comparison method.

Part Number	Power requirements (Voltage)	Communication capabilities	GBP Price
9586.99.03P4	100 - 240 V AC	Profibus DP (includes sculpted barrier)	Contact Us
9586.99.00P4	100 - 240 V AC	Standard (2x 4-20 mA outputs)	Contact Us
9586.99.01P4	100 - 240 V AC	Modbus RS232/RS485	Contact Us
9586.99.05P4	100 - 240 V AC	Hart	Contact Us
9586.99.09P4	100 - 240 V AC	5x 4-20 mA Out	Contact Us
9586.99.70P4	24 V DC	Standard (2x 4-20 mA outputs)	Contact Us
9586.99.71P4	24 V DC	Modbus RS232/RS485	Contact Us
9586.99.73P4	24 V DC	Profibus DP (includes sculpted barrier)	Contact Us
9586.99.75P4	24 V DC	Hart	Contact Us
9586.99.79P4	24 V DC	5x 4-20 mA Out	Contact Us